



SHOEI HELMETS

SPORTS TOURING CLASSIC (TY)

OPEN FACE 04 J-Cruise 3

FLIP UP

14 Neotec 3

FULL FACE

26 X-SPR Pro

36 NXR242 GT-Air 3

54 Glamster 06


OFF ROAD

58 VFX-WR 06

EXTRAS

- 62 Casual
- 64 Sena SRL3
- 65 Transitions® visor 66 Accessories





OPEN OPEN MIND!





Perfect for both urban cruising and even long touring, the updated J-Cruise3 features an enhanced superior ventilation system and Shoei Comlink for seamless connectivity. Experience unparalleled freedom and functionality wrapped up in the trust of true Shoei craftsmanship.

J-CRUISE 3

HOE



SAFETY AND COMFORT

EVERY DETAIL IS METICULOUSLY ENGINEERED FOR PEAK FUNCTIONALITY.



Shoei Comlink system

 Seamless integration of a communication system (not included)
 No distraction of the helmet design, perfect aerodynamics







Wind tunnel engineered

1

8

The aerodynamic shape defines a comfortable touring helmet. Integrated spoiler – relaxed ride due to less turbulence. Ultra lightweight by innovative shell moulding technology.

AERO-DYNAMIC SHAPE

2

Enlarged QSV-2 sun visor

Sun visor with anti-fog coating. Optical precision, EN1836, smooth handling.

3

CJ-2 visor system

Minimised optical distortion. Airtight sealing. Easy and secure locking system. The bevel ensures stability and prevents wind from entering.

4

Top pocket system







5

Improved Chinstrap: Smaller, more pleasant

Stainless steel Micro Ratchet System. Easy to use and always perfectly adjusted.

SPORTY DESIGN

6

Advanced ventilation

Superior performance through optimised inlet position. Extra top outlet increases airflow by 70%.

AIRFLOW INCREASED BY 70%.







Safety

10

- Shell in AIM
 - Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- EPS liner system with multiple densities
 Optimised protection through EPS elements
 with different shock-absorbing levels
- CJ-2 visor Fast and easy to change
- Stainless steel Micro Ratchet System Easy to use and always perfectly adjusted
- ECE 22/06 homologation

Wearing comfort

- QSV-2 sun visor
 DIN EN1836 approved
- 3 different outer shell sizes
 For perfect fit and compact dimensions (XS-M / L / XL-XXL)
- 3D centre pad with top pocket
 For fine adjustment, pleasant wearing comfort, detachable, washable
- Cheek pads detachable, washable
 For better care and individual adjustment
- Chinstrap cover detachable, washable Easy to maintain and clean
- Ear pads
 To reduce noise
- Shoei Comlink system
 Seamless integration of a communication system (not included)

Ventilation

- Multiple venting and extraction
 Optimum ventilation performance
- Inlets at the upper head
 Fresh air supply guaranteed
- Outlets at the rear
 To extract warm air

Aerodynamics

- Integrated spoiler
 For optimised aerodynamical performance
- Aerodynamic shape Wind tunnel engineered

J-Cruise 3 Open Road, Open Mind.





Integrated Sun Visor



System



Accessories

- CJ-2 visor (see page 66) In different colors
- Cheek pads In different sizes for individual adjustment (31, 35, 39 mm)
- Centre pad with top pocket In different thicknesses
- Original SHOEI helmet bag Comes with the helmet

11









– Whizzy TC-1



– Whizzy TC-5



– Whizzy TC-10



Whizzy TC-11



- Inspired TC-1








M - Matt Blue Metallic













ECE 22/06 HOMOLOGATION SHOEI COMLINK FLUID DESIGN

WHEREVER THE ROAD LEADS YOU, THE NEOTEC 3 IMPRESSES WITH STYLE AND ULTIMATE WEARING COMFORT.

The versatility of this two-in-one helmet, combined with superior aerodynamics, an enhanced sun visor and the seamless integration of the Shoei Comlink system, makes the Neotec 3 a perfect companion for two-wheeled exploration. WIND TUNNEL ENGINEERED INTEGRATED SPOILER

SLEEK SHAPE. Fluid design. Light Weight.







SCULPTURAL





CENTER LOCKING, EASY HANDLING

$\left(1\right)$

CNS-3C visor system

- Center locking, easy handling
- Redefined visor shape for
- optimum sealing
- Minimised optical distortion

2

Superior ventilation

- Multiple venting and extraction
 Closable inlets
- Insect filter inside

3

Improved Chinstrap: Smaller, more pleasant

- Stainless steel Micro Ratchet System
 Easy to use and always perfectly adjusted



Maximum silencing, Cheek pad with Noise Isolator®

- Deflector prevents wind ingress
 Maximum noise reduction
 Optimum wearing comfort



Top pocket system

- for customised fitting







COMPACT. AERODYNAMIC. EFFICIENT.

SUPREME COMFORT RELAXED RIDE

19

SHOE NEDTECS



Safety

- Shell in AIM
 - Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- EPS liner system with multiple densities
 Optimised protection through EPS elements
 with different shock-absorbing levels
- Mist-retardant CNS-3C Pinlock® visor Fast and easy to change
- Stainless steel Micro Ratchet System Easy to use and always perfectly adjusted
- 360° Pivot locking system made of stainless steel
 For secure locking of the face cover
- Double homologation P/J Homologated as jet and full face helmet
- ECE 22/06 homologation

Wearing comfort

- QSV-2 sun visor
 DIN EN1836 approved
- 3 different outer shell sizes
 For perfect fit and compact dimensions (XS-M / L / XL-XXL)
- 3D centre pad with top pocket
 For fine adjustment, pleasant wearing comfort, detachable, washable
- Cheek pads detachable, washable
 For better care and individual adjustment
- Chinstrap cover detachable, washable Easy to maintain and clean
- Ear pads
 To reduce noise
- Shoei Comlink system
 Seamless integration of a communication system (not included)

Ventilation

- Multiple venting and extraction Optimum ventilation performance
- Closable inlets on brow & chin Fresh air supply guaranteed
- Insect filter inside
- Outlets at the rear
 To extract warm air

Aerodynamics

- Integrated spoiler
 For optimised aerodynamical performance
- Seamless design, fluid shape
 Wind tunnel engineered aerodynamics

Neotec 3 The most advanced flip up helmet



Integrated Sun Visor



System



Accessories

- Service tool (Included)
- CNS-3C visors (see page 66) In different colors
- Cheek pads
 In different sizes for individual adjustment (31, 35, 39 mm)
- Centre pad
 In different thicknesses
- Breath Guard (see page 66)
 Prevents fogging of the visor (Included)
- Chin Curtain (see page 66)
 Reduces turbulences inside the helmet (Included)
- Original SHOEI helmet bag Comes with the helmet



- Anthem TC-10



- Anthem TC-5



- Anthem TC-8



- Anthem TC-3







- Grasp TC-5







- Grasp TC-10









– Satori TC-6



M - Matt Blue Metallic



— Light Silver



- Anthracite Metallic



MI - Matt Deep Grey



– Black




Min – Matt Black



— White









20

Easy application of tear-offs

1

Highly sophisticated aerodynamic system

- (A) Integrated spoiler
- (B) Rear flaps

5

- (C) Vortex generators
- (D) Lower air spoiler
- Reduction of drag and lift

POCKET SYSTEM



Shel

Sizes

2

Double secured visor lock system

Prevents opening due to an impact caused by an accident

Emergency Quick Release System

– E.Q.R.S. rescue system

Т

4

- For easy helmet removal in case of an accident
- Pull to remove cheek pad

ہ Multi-density

EPS liner system

- Inner absorption liner with different densities
- Optimised protection grown from 60 years of experience

Pocket system for customized fitting

7

Trigger Lock

Prevents visor detachment

A set of 5 adjustment pads is available for individual adjustment, simply insert the pads into the respective pocket

Modular padding

SHOEI **TECH-**NOLOGY.

- Combine the different parts in individual sizes for a perfect fit
- Tactile fabrics, soft and stable, fully removable, washable
- Ultra wicking, quick dry
- 06





Technology

Safety

- ECE 22/06 FIM homologation
- Shock-absorbent shell in AIM+ Organic fibre, multi-composite and high-performance fibre in various layers for a shock-absorbent shell with optimum rigidity
- EPS liner system with multiple densities Optimised protection through EPS elements with different shock-absorbing levels
- Mist-retardant CWR-F2R Pinlock® visor
- · 2D shape for easy application of tear-offs · Double secured visor lock system
- · Vortex generators for advanced aerodynamic performance

- Double D-Ring

- Easy to handle, always perfectly adjusted
- E.Q.R.S. security system Emergency Quick Release System for easy helmet removal in case of an accident

Wearing comfort

- 4 different outer shell sizes For perfect fit and compact dimensions (XS-S / M / L / XL-XXL)
- Modular centre pad, detachable, washable Pleasant wearing comfort
- Cheek pads detachable, washable In different thicknesses for individual adjustment
- Chinstrap cover detachable, washable For better care

Ventilation

- High performance racetrack ventilation
- Innovative cheek vent system Active cooling even in the lower part of the helmet
- 7 closable air inlets and 6 air outlets Multiple venting and extraction

Aerodynamics

- Sophisticated aerodynamic system Reduces drag and lift and avoids shaking, for high speeds up to 350 km/h
- Rear stabilizer with flaps Rear flaps provide stability during braking
- Lower air spoiler
 - Controlled airflow around the lower part of the helmet

X-SPR Pro **Professional racing helmet**





30

Accessories

- Different visors (see page 66) In individual colors
- Cheek pads
 In different thicknesses for individual adjustment (31, 35, 39, 43 mm)
- Modular centre pad
 In different thicknesses
- Breath Guard (see page 66)
 Comes with the helmet
- Chin Curtain (see page 66) Comes with the helmet
- Lower air spoiler
- Original SHOEI helmet bag Comes with the helmet







Full Face Helmets





Safety

- Shell in AIM
 - Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- EPS liner system with multiple densities Optimised protection through EPS elements with different shock-absorbing levels
- Mist-retardant CWR-F2 Pinlock® visor Fast and easy to change
- Double D-Ring Easy to handle, always perfectly adjusted
- E.Q.R.S. security system E.Q.R.S. (Emergency Quick Release System) for easy helmet removal in case of an accident
- ECE 22/06 homologation

Wearing comfort

- 5 different outer shell sizes For perfect fit and compact dimensions (XXS-S / M / L / XL-XXL / XXXL)
- 3D centre pad, detachable, washable Pleasant wearing comfort
- Cheek pads detachable, washable For better care and individual adjustment
- Chinstrap cover detachable, washable Easy to maintain and clean
- Ear pads To reduce noise
- Prepared for Intercom installation

Ventilation

- Multiple venting and extraction For optimum ventilation performance
- 6 Inlets on brow and chin Fresh air supply guaranteed
- 4 Outlets at the rear To exhaust warm air

Aerodynamics

 Integrated spoiler For optimised aerodynamical performance

NXR2 Sporty street helmet





– White Also available in XXXL.



Basalt Grey





M! – Matt Blue Metallic

- Shine Red

36

Accessories

- Different visors (see page 66) In individual colors
- Cheek pads In different sizes for individual adjustment (31, 35, 39, 43 mm)
- Centre pad In different thicknesses
- Breath Guard (see page 66) Prevents fogging of the visor (Included)
- Chin Curtain (see page 66) Reduces turbulences inside the helmet (Included)
- Original SHOEI helmet bag Comes with the helmet



Individual XXXL shell size for perfect fit (White, Matt Black)





Also available in XXXL.



- Beaut TC-1



– Beaut TC-3

M - Beaut TC-6





- Origami TC-5



Full Face Helmets



- Sheen TC-2

- Sheen TC-1





– Capriccio TC-10







M - Capriccio TC-4



M – Capriccio TC-5



– Capriccio TC-11






- Ideograph TC-6



GT-AIR 3 NEXT-GEN TOURING. **TECH PRECISION** PEAK PERFORMANCE IN ALL CONDIT **IONS.**

43

SHOE) GT-Air3




ECE 2206

NEXT-GEN TOURING WITH THE SHOEI GT-AIR 3.

The sleek aerodynamic shell houses cutting-edge tech, silent ride engineering, ECE 22/06 homologation and exceptional ventilation performance. Stay linked through the seamlessly integrated Shoei Comlink system!





Full Face Helmets

45

SHOE) GT-Air3

Wind tunnel engineered

SUPERIOR AERODYNAMICS

2

1

Top pocket system

- for customised fitting



OPTICAL PRECISION



Less light distraction
Optical precision, EN1836
Smooth handling







ම 1

Shoei Comlink system

- Seamless integration of a communication system (not included)
- No distraction of the helmet design, perfect aerodynamics

2

Improved Chinstrap: Smaller, more pleasant

- Stainless steel Micro Ratchet System
 Easy to use and always perfectly adjusted

3

Superior ventilation

- Multiple venting and extraction
 Improved, closable air intakes
- Equipped with insect filter inside



NEW **CENTER** Locking.



CNS-1C visor system

- Center locking, easy handling
 Additional position ,slightly open'
- Additional position , slightly ope prevents fogging of visor
- Better air supply



Safety

48

- Shell in AIM
- Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- EPS liner system with multiple densities
 Optimised protection through EPS elements
 with different shock-absorbing levels
- Mist-retardant CNS-1C Pinlock[®] visor Fast and easy to change
- Stainless steel Micro Ratchet System Easy to use and always perfectly adjusted
- E.Q.R.S. security system
 Emergency Quick Release System for easy
 helmet removal in case of an accident
- ECE 22/06 homologation

Wearing comfort

- QSV-2 sun visor
 DIN EN1836 approved
- 3 different outer shell sizes
 For perfect fit and compact dimensions (XS-M / L / XL-XXL)
- 3D centre pad with top pocket
 For fine adjustment, pleasant wearing comfort, detachable, washable
- Cheek pads detachable, washable
 For better care and individual adjustment
- Chinstrap cover detachable, washable Easy to maintain and clean
- Ear pads To reduce noise
- Shoei Comlink system
 Seamless integration of a communication system (not included)

Ventilation

- Multiple venting and extraction Optimum ventilation performance
- Closable inlets on brow & chin Fresh air supply guaranteed
- Insect filter inside
- Outlets at the rear
 To exhaust warm air
- Additional visor position ,slightly open'
 Prevents fogging of the visor
 Better air supply

Aerodynamics

- Integrated spoiler
 For optimised aerodynamical performance
- Wind tunnel engineered

GT-Air 3 Next-Gen Touring





Integrated Sun Visor



– White



- Brilliant Yellow





M: - Matt Deep Grey

MI – Matt Black

Accessories

- Service tool (Included)
- CNS-1C visors (see page 66) In different colors
- Cheek pads
 In different sizes for individual adjustment (31, 35, 39 mm)
- Centre pad
 In different thicknesses
- Breath Guard (see page 66) Prevents fogging of the visor (Included)
- Chin Curtain (see page 66)
 Reduces turbulences inside the helmet (Included)
- Original SHOEI helmet bag Comes with the helmet

AC.





— Black



– Hike TC-10

– Hike TC-8







- Scenario TC-3



— Realm TC-5

– Realm TC-10







'////

M - Discipline TC-1



M - Discipline TC-2

MI - Nile TC-9

- Discipline TC-6



– Lilt TC-10

54 Safety

- Shell in AIM
 - Organic fibre and multi-composite fibre in various layers for a shock-absorbent shell with optimum rigidity
- EPS liner system with multiple densities
 Optimised protection through EPS
 elements with different shock-absorbing
 levels
- CPB-1V Pinlock[®] visor
 - Clear vision in many conditions
 3 position adjustment
- Double D-Ring Easy to use and always perfectly adjusted
- E.Q.R.S. security system
 Emergency Quick Release System for easy
 helmet removal in case of an accident
- ECE 22/06 homologation

- Wearing comfort
- 4 different outer shell constructions
 For perfect fit and compact dimensions
 (XS-S / M / L / XL-XXL)
- Center pad detachable, washable For pleasant wearing comfort
- Cheek pads detachable, washable
 For better care and individual adjustment
- Chinstrap cover detachable, washable Easy to maintain and clean

Accessories

- Cheek pads
 In different sizes for individual adjustment (31, 35, 39, 43, 47 mm)
- Original SHOEI helmet bag Comes with the helmet
- CPB-1V in different colors (see page 66) Clear visor comes with the helmet

Glamster 06 Style for Miles





▲ — Basalt Grey



- Bivouac TC-2



Safety

58

- Shock-absorbent shell in AIM+
 Organic fibre, multi-composite and
 high-performance fibre in various layers
 for a shock-absorbent shell with
 optimum rigidity
- M.E.D.S.

(Motion Energy Distribution System) Additional layer of EPS liner reduces rotational acceleration energy to the head in the event of an accident

- 3-piece EPS liner system
 Optimised protection through EPS elements with different shockabsorbing levels
- E.Q.R.S. security system
 Emergency Quick Release System for easy
 helmet removal in case of an accident
- Double D-Ring
 Easy to handle, always perfect adjusted
- Including mud guard
- ECE 22/06 homologation

Wearing comfort

- 4 different outer shell sizes
 For perfect fit and compact dimensions
 (XS-S / M / L / XL-XXL)
- Detachable and washable 3D Max-Dry cheek pads
 - In different thicknesses for individual adjustment
 Breathable and moisture absorbent
- · Breathable and moisture absorbent
- Detachable and washable 3D Max-Dry centre pad
- Pleasant wearing comfort
 Breathable and moisture absorbent
- Chinstrap cover detachable, washable
 For better care

Ventilation

- Multiple venting and extraction
 For optimum ventilation, even in the hottest racing situations
- Several intake vents on the brow area and on the upper head area
 For fresh air intake
- Multiple outlet vents in the spoiler and on the neck
 To exhaust warm air

Aerodynamic

- Special shell construction
 Radical sporty design with integrated spoilers for optimised aerodynamics and performance
- Fully integrated peak
 Seamless connection between shell and peak
- Aggressively-shaped face guard
 For reduced drag

VFX-WR 06 Professional off road helmet





Accessories

- 3D cheek pads
 In different thicknesses for individual adjustment (31, 35, 39, 43 mm)
- Peak
 Available in various colours and decors
- Chinstrap cover
- Centre Pad
 In different thicknesses
- Nose Cover Available in various colours
- Original SHOEI helmet bag Comes with the helmet

FENRS

SHOEI

STRAIGHT LINES-NO GAMES






— Jammer TC-1











The SRL3 is custom-designed specifically to fit into the interior recesses of the SHOEI Neotec 3, GT-Air 3, and J-Cruise 3 helmets.

The left side of the SRL3 features a 3-button control, while the right side houses the simple one-click-to-connect Mesh Intercom™ button.



â

RICH SOUND. EXTENSIVE FUNCTIONS.

Rich sound, extensive functions, perfect integration into the helmet shell thanks to minimal device size. The SRL3 communication system from SENA provides excellent entertainment and up-to-date information while riding, but is pleasantly discreet in appearance.

Custom-designed for three of SHOEI's most popular helmets:





+ - PERFECT INTEGRATION.














PHOTOCHROMIC TECHNOLOGY FOR A SAFER, MORE ENJOYABLE RIDE.

Motorcyclists know how important a clear, crisp vision is. Traditionally, riders deal with changing light conditions by carrying two shields (one clear, one tinted) with them at all times. Transitions® adaptive visors solve this problem and even enhance vision by seamlessly adjusting to optimised darkness levels with the changing light. 65

SHOE

Transitions ADAPTIVE VISOR TECHNOLOGY



Designed to meet the international standards

- Transitions[®] Optical has been an industry leader in photochromic technology for 20 years and is known worldwide for its photochromic prescription eyeglasses.
- UV protection: the visor blocks 100% of UV rays
- Full activation in 2 minutes
- Impact resistant

Photochromic molecules make light, dark, and every shade in between possible

- When Transitions[®] lenses are exposed to UV light, trillions of photochromic molecules in the lens begin to change structure. This reaction is what causes the lenses to darken.
- The superiority of Transitions[®] brand technology lies in their exclusive, patented formulas. The molecules constantly and smoothly recalibrate so the optimal amount of light reaches your eyes whether you're in bright sunlight or under cloud cover.

							90			-					
VISO	RS 🤉	(-SPR Pro	NXR2	GT-Air 3	Neotec 3	-Cruise 3	Glamster 0	ò	Ex-Zero	Hornet AD	X-Spirit 3	NXR	GT-Air 2	Neotec 2	-Cruise 2
R	Clear	CWR-F2	: —	•	CNS-3C	7 CJ-2	CPB-1V	CJ-3	сј-3	CNS-2	• · · •	CWR-1	CNS-1	CNS-3	CJ-2
(). It		CWR-F2R	CWR-F2R				***				CWR-F	CWR-F			
S. re	Mellow Smoke	-	-	CNS-1C	CNS-3C	-	-	-	-	-	•	CWR-1 CWR-F	CNS-1	CNS-3	-
- 1°	Light Smoke	CWR-F2 CWR-F2R	CWR-F2 CWR-F2R	-	-	-	-	-	-	-	-	-	-	-	-
6. 1P	Dark Smoke		CWR-F2* CWR-F2R*	• • • •	•	CJ-2* QSV-2	CPB-1V*	CJ-3*	CJ-3*	CNS-2*	•	CWR-1* CWR-F*	•	•	CJ-2* QSV-2
	Spectra Silver	CWR-F2*	CWR-F2*	CNS-1C*	CNS-3C*	-	-	CJ-3*	CJ-3*	CNS-2*	CWR-1*	CWR-1*	CNS-1*	CNS-3*	-
	Spectra Blue	CWR-F2*	CWR-F2*	CNS-1C*	CNS-3C*	-	-	-	-	-	CWR-1*	CWR-1*	CNS-1*	CNS-3*	-
	Spectra Gold	CWR-F2*	CWR-F2*	-	-	-	-	CJ-3*	CJ-3*	-	CWR-1*	CWR-1*	-	-	-
8. 10	High Definition Orange	-	-	-	- -	-	-	-	-	- -	CWR-1*	CWR-1*	-	-	-
	High Definition Yellow		CWR-F2* CWR-F2R*	•	- QSV-2	- QSV-2	-	CJ-3*	CJ-3*	-		CWR-1* CWR-F*	•	- QSV-1	- QSV-2
	Spectra Rainbow	CWR-F2*	CWR-F2*	CNS-1C*	CNS-3C*	-	-	-	-	-	CWR-1*	CWR-1*	CNS-1*	CNS-3*	-
0.00	Transitions® adaptive visor	CWR-F2*	CWR-F2*	-	-	-	-	CJ-3*	CJ-3*	-	CWR-1*	CWR-1*	-	-	-
D	Pinlock®	~	1	1	1	1	√	-	-	1	1	v	1	1	1
			•	•	•	•	•	I	•	•	•	•	•	•	

ACCESSORIES

Ai	irmask	1	-	-	-		-	-	-	-	~	-	-	-	-
Ві	reath Guard				F	-	-	-	•	н	J		-	F	-
	hin Curtain		D	J	H/I	-	к	-	-	D	D	-		H/I	-
Pe	eak	-	-	-	-	V-440	-	-	V-480	-	-	-	-	-	V-440
In	ntercom Adapter Kit RL/SRL2/SRLMesh to ComLink	-	-	1	v	1	-	-	-	-	-	-	-	-	-



Racing Visor**

(CWR-F, CWR-F2R)



Tear-offs**

tear-off foils for

racing visors

Airmask**

(only X-Spirit 3, X-SPR Pro)





Breath Guard**

repels breath



Chin Curtain** prevents air turbulence and helps reducing noise

All rights reserved. This publication is copyright protected. All rights are reserved, in particular those pertaining to the translation, reprinting, re-use of illustrations, broadcasting, reproduction by photocopying machines or similar means and storage in databases. Reproductions and other measures which infringe upon rights are only admissible subject to the prior written consent of the copyright holder. CW-1 Visor Patent EP 1 856 999 A2. Design: Bionic-Systems.com, Düsseldorf

Content: SHOEI (Europa) GmbH, Langenfeld

Photos: Klaus Dyba, Lukasz Swiderek, Oriol Castelló Arroyo, Javier Echavarria, Dimitri Coste, Bavo Swijgers, Busty Wolter, Shoei

You can find further information and a list of distributors at: www.shoei-europe.com

Universal Com Holder for installation of third party communication systems

- M! Flat
 - Not in conformity with the current E22/05 resp. E22/06 homologation requirement.
- ** Illustrations can differ, depending on the model. *** CPB-1V Pinlock® shields equipped with Pinlock® EVO lens do not meet ECE R22 optical property requirements.


Caveat emptor: It is possible that during the reproduction process slight deviations in colour and graphic design may occur. For these deviations, any warranty by SHOEI is expressly excluded. Last revised: September 2024

Details of scope of delivery, technical data, design, features, material and external appearance were correct when the brochure went to print and are therefore non-binding. Errors excepted. Subject to modification.


Head Circumference (cm) Helmet Size 

HELMET SIZE CHART $\stackrel{\frown}{\longrightarrow}$









SHOEI EUROPA GMBH ELISABETH-SELBERT-STR. 13 40764 LANGENFELD GERMANY

+49 2173 - 399 75 32 SHOEI-EUROPE.COM

PIONEERING PROTECTION

#-KX

レーシング

SHOEI PREMIUM HELMETS CATALOG 2025

oosa

SHOE